

COMPASS Update

ATTN: DCMC PHYSICIANS COMPASS Improvements Made in June

<u>Contents</u>	<u>Page #</u>
Information for All Physicians—Regardless of Specialty	1
Additional Info for Acute & Critical Care Physicians	4
Additional Info for Emergency Dept. Physicians	4


Information for All Physicians Regardless of Specialty

New Orders

- New radiology orders:
 - CT Head/Neck Angiogram w/ +w/o Contrast*
 - CT 3D Reconstruction*
- New laboratory orders
 - Fungal Identification to TDH*
 - Acetylcholine Recp AB*
 - Thyrotropin Receptor AB*

Changes to Existing Orders

- Since radiology exams are typically ordered only once, the **Frequency**, **Duration**, and **Duration Unit** fields were removed from Nuclear Medicine, CT, MRI, and MRA orders. This will save clinicians three steps.




- A new "ACTINOMYCES TURICENSIS" result is available within the Culture Anaerobic test.

Information for All Physicians Regardless of Specialty

Changes to Existing Orders

- Alanine now posts with other results of the Amino Acid Plasma Quant order in the Other Chemistry section of the Flowsheet.



- The following order are no longer available in COMPASS. If any of these orders were saved to your Favorites Folder, it will no longer be available.


DISCONTINUED ORDER	ORDER INSTEAD
Reference Labs: Protein Electrophoresis Urine (Ref Lab) Immunoelectrophoresis Urine Immunofixation Electrophoresis Serum Protein Electrophoresis	Orders performed in-house Protein Electrophoresis Serum Protein Electrophoresis Urine Immunofixation Urine Immunofixation Serum
XR Spine Cervical 2 or 3 Views	XR Spine Cervical 2 Views
Cytomegalovirus by PCR Quantitative	Cytomegalovirus DNA Quantitation by PCR

- The following lab orders have been re-named:

PREVIOUS NAME	NEW NAME
%RBC Crenated CSF	RBC Crenated CSF
%RBC Fresh CSF	RBC Fresh CSF

- The following order sets were re-named to align with Seton naming conventions.

PREVIOUS NAME	NEW NAME
Apparent Life Threatening Event Admit to Med/Surg Pedi	Apparent Life Threatening Event Pedi/Neo
Hyperbilirubinemia Pedi Admit	Hyperbilirubinemia Pedi/Neo
Cardiac Surgery PreOP Admit to Med/Surg Pedi	Cardiac Surgery PreOp Pedi/Neo
ED Neonatal Fever Pedi	ED Fever Pedi/Neo



Information for All Physicians Regardless of Specialty

Changes to Existing Orders

- Often, the name of radiology or laboratory orders in COMPASS is determined by the Seton’s lab and radiology systems. However, alternate names – called *synonyms* – can be built in COMPASS to help clinicians easily locate and place orders.

ORDER NAME	NEWLY ADDED SYNONYMS
NM Gastric Mucosa Imaging	NM Meckels Scan and Meckles Scan NM
CT Maxillofacial w/ + w/o Contrast	CT Facial w/ + w/o Contrast and Facial w/ + w/o Contrast CT
CT Maxillofacial w/ Contrast	CT Facial w/ Contrast and Facial w/ Contrast CT
CT Maxillofacial w/o Contrast	CT Facial w/o Contrast and Facial w/o Contrast CT

- Previously, if an “Initiate Fall or Skin Powerplan” order/task had been completed, the powerplan initiated, but later discontinued due to improving condition, the order/task would not re-fire if the patient condition and fall/skin scores worsened (i.e. fell into the range where initiating the power plan would be appropriate). This has been corrected. Now, if the Braden, Braden Q, Hendrich II, or Pediatric Fall risk score falls within the risk category, the “Initiate Power Plan” order/task will be placed regardless of previous orders/tasks/plans unless the powerplan is already in a planned or initiated state”

Documentation

- DCMC Injury Prevention consult documentation is now viewable in COMPASS

Documents Print

Thursday, June 03, 2010 - Thursday, June 10, 2010 : 1 out of 1 documents are accessible. (Date Range)

Clinical Documents

- Assessment Ancillary
 - DCMC Pedi Injury
 - 06/10/2010

Result Type: DCMC Pedi Injury Prevention Forms
 Result Date: 10 June 2010 13:36 CDT
 Result Status: Auth (Verified)
 Result Title: DCMC Pedi Injury Prevention
 Performed By: Zessin , Julie A RN on 10 June 2010 13:36 CDT
 Verified By: Zessin , Julie A RN on 10 June 2010 13:36 CDT
 Encounter info: 8070062390, Dell Children's, IP Private/Semi Private room, 05/27 /2010 -

DCMC Pedi Injury Prevention Entered On: 06/10/2010 13:38 CDT
 Performed On: 06/10/2010 13:36 CDT by Zessin , Julie A RN

Consult Summary
 Trauma Patient : Yes
 Consult Date/Time : 06/10/2010 13:36 CDT
 Consulted With : Grandmother
 Who Was Patient With : Parent(s)
 Caregiver Provided : Home safety device
 Reason For Admission : Other wheels, Non-accidental trauma
 Referred By/Injury Prevention : Clinician
 Assessment Completed By : Social work
 Consult Completed By : Social work

Education
 Type of Education Information Given : Birth - 24 months safety packet

Assessment
 Age-Injury Prevention : 2 - 4 years
 Vehicle Riding Position : Front
 Restraint Use : Unrestrained

Caregiver
 Alcohol Screening Completed : Yes
 Caregiver Monthly/Regular Alcohol Use : Yes

Zessin , Julie A RN - 06/10/2010 13:36 CDT
 Zessin , Julie A RN - 06/10/2010 13:36 CDT
 Zessin , Julie A RN - 06/10/2010 13:36 CDT

From the COMPASS menu, select Documents.

Once on the Documents page, select Clinical Documents > Assessment Ancillary

Additional Info for Acute & Critical Care Physicians

Changes to Existing Orders

- Within the Sickle Cell Pedi order set, the *Isolation* order is not automatically checked. Clinicians will need to select this order when necessary.
- Within the Diabetes Admit to Med/Surg Pedi Orderset, the *Initiate to Floor* order is now automatically checked. This should decrease the amount of missed orders.
- Within the Admission to Hematology/Oncology Pedi order set and the Hematology/Oncology Discharge Orders Pedi order set, discharge planning instructions were changed to read
- 'Parent/patient to notify MD of the following: questions, problems, concerns, or any fever greater than or equal to 100.5 degrees." The parameters for notification of fever has changed for this patient population.

Additional Info for Emergency Dept Physicians

Changes to Existing Orders

- A *CT Abdomen/Pelvis w/ Contrast* order option was added to the ED Abdominal Pain Pedi order set. This selection should be used when both an abdomen and pelvic exam are needed. The *CT Abdomen w/ Contrast* order and *CT Pelvis w/ Contrast* order will remain in the plan to use when only one test is necessary.