



COMPASS Update

ATTN: DCMC PHYSICIANS COMPASS Improvements Made in August

<u>Contents</u>	<u>Page #</u>
Information for All Physicians	1-3
Additional Information for Acute Care Physicians	2
Additional Information for Critical Care Physicians	2

Information for All Physicians

New Orders

- A new *Vital Signs* order (with q4h, q8h, and q12h order sentences) has been added to the Patient Care Folder.

New Lab Results

- Twenty-nine new results were added to the existing *Complete Blood Count with Diff* order.

Acanthocytes	Elliptocytes	Poikilocytosis	Target Cells
Agglutinated RBC's	Ovalocytes	Polychromasia	Tear Drop Cells
Auer Rods	Pappenheimer	Rouleaux	Toxic Granulation
Basophilic Stippling	Platelet Clumps	Schistocytes	Vaculization
Howell-Jolly Bodies	Giant Platelets	Sickle Cells	Platelet Count
Burr Cells	Large Platelets	Smudge Cells	Smear Review
Dohle Bodies	Platelet Satellitosis	Spherocytes	Automated Nucleated RBC's
		Stomatocytes	
- Twelve new results were added to the Chromosome/Bone Marrow order:

Chromosome/Bone Marr Specimen	Chromosome/Bone Marr Reason for Ref
Chromosome/Bone Marr Spec ID	Chromosome/Bone Marr Results
Chromosome/Bone Marr Source	Chromosome/Bone Marr Interp
Chromosome/Bone Marr Order Date	Chromosome/Bone Marr Amendment
Chromosome/Bone Marr Banding Methods	Chromosome/Bone Marr Consultant
Chromosome/Bone Marr Method	Chromosome/Bone Marr Report Date

Changes to Existing Orders

- Within the Miscellaneous Lab Test order, Sputum was added as a Specimen Type.
- The following lab tests were deactivated: *Histoplasma Antigen*, *Paralytic Viral Antibody*, and *Paralytic Viral Ab CSF*

Information for All Physicians

Changes to Existing Orders

- To improve clarity and promote patient safety, the following changes have been made within orders, powerplans and PharmNet:
 - "in" now displays as "inch"
 - "app" now appears as "application"
 - "applicator" will change to "applicatorful"

Example: an Erythromycin ophthalmic 0.5% ointment dose will now appear as "0.5 inch Eye qid" and NOT "0.5 in Eye qid"

- New synonyms have been added to make finding some lab orders easier.

Order Name	New Synonym
CKMB	MB
Strep Test Rapid	Strep A Test Rapid
Culture VZV	Varicella Zoster Virus Culture
Platelet Function Screen	Collagen/Epinephrine
Acid Fast Culture with Smear	Culture Acid Fast with Smear
Hep B Confirmation	Hepatitis B Confirmation
Heparin Associated Antibody Detect	Heparin Induced Antibody
Skin Fibroblast Culture	Culture Skin Fibroblast
Culture Neisseria gonorrhoeae	Neisseria Gonorrhoeae Culture
XR Enema Barium Therapeutic	XR Barium Enema Therapeutic

Documentation

- On the Flowsheet, gastric fluids will now post in a brand new *Gastric Fluids* grouper (1). It will no longer post under the Bacteriology grouper (2).

Quick View		08/13/09 CD1
Gastric Fluid	← 1	
Occult Blood Gastric Fluid		
Miscellaneous Tests		
Misc Test Name		
Misc Test Results		
Bacteriology	← 2	
Culture Blood		
Culture Urine		

Information for All Physicians

Medication Orders

- On September 9, the “none” option was removed from inpatient medication order entry. Previously, all medication orders start with the option of ‘none’

This change allows the clinician to choose from a list of pre-built sentences which automatically load the details into the multiple fields for dose, frequency, and route.

If necessary the clinician can then change any of these details to fit the patient need without having to start from scratch

BEFORE

AFTER

Order sentences for: acetaminophen-codeine (acetaminophen-codeine #2)

- (None)
- 1 tab(s) PO (oral) Once
- 2 tab(s) PO (oral) Once
- 1 tab(s) PO (oral) q4h PRN Pain
- 1 tab(s) PO (oral) q6h PRN Pain
- 2 tab(s) PO (oral) q4h PRN Pain
- 2 tab(s) PO (oral) q6h PRN Pain

Order sentences for: acetaminophen-codeine (acetaminophen-codeine #2)

- 1 tab(s) PO (oral) Once
- 2 tab(s) PO (oral) Once
- 1 tab(s) PO (oral) q4h PRN Pain
- 1 tab(s) PO (oral) q6h PRN Pain
- 2 tab(s) PO (oral) q4h PRN Pain
- 2 tab(s) PO (oral) q6h PRN Pain

acetaminophen-codeine Order 08/10/2009 17:00 1 tab(s) PO (oral) Once
 (acetaminophen-codein... CDT

Details for **acetaminophen-codeine (acetaminophen-codeine #2)**

Details Order Comments

Order details

Volume dose [1]	As Directed
Volume dose unit [tab(s)]	Chewed
Route of administration [PO (oral)]	G Tube
Frequency [Once]	J Tube
PRN [No]	NG Tube
PRN reason	NJ Tube
Duration	OG Tube
Duration unit	PEG Tube
Special Instructions	PO (oral)
Drug Form	

By removing 'none' and selecting a sentence, the details are defaulted and can be changed as needed

Information for Acute Care Physicians

Changes to Existing Orders

- The following powerplans have been revised:

Plan Name	Change Highlights
<ul style="list-style-type: none"> Neurosurgery Discharge Orders Pedi 	<ul style="list-style-type: none"> Updated discharge activity options. Removal of less used orders. Addition of more commonly used orders for this diagnosis.
<ul style="list-style-type: none"> Shunt Procedure Pedi PostOp 	<ul style="list-style-type: none"> Added Neurosurgery Discharge Phase. Removal of less used orders. Addition of more commonly used orders for this diagnosis.
<ul style="list-style-type: none"> Tethered Cord Pedi PostOp 	

Information for Critical Care Physicians

Changes to Existing Orders

- The following powerplans have been revised:

Plan Name	Change Highlights
<ul style="list-style-type: none"> Craniotomy Pedi Adm PICU/IMC/Med/Surg 	<ul style="list-style-type: none"> Added Neurosurgery Discharge Phase. Removal of less used orders. Addition of more commonly used orders for this diagnosis.